

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : MSE 100 Primecoat-trans B-comp

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Schippers Europe BV
 Rond Deel 12
 5531 AH Bladel - Nederland
 T +31 497 339771

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
UNITED KINGDOM	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302
 Skin Corr. 1A H314
 Eye Dam. 1 H318
 Skin Sens. 1 H317
 Aquatic Chronic 3 H412

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

m-fenyleenbis(methylamine), 3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzylic alcohol

Hazard statements (CLP) :

H302 - Harmful if swallowed
 H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction
 H412 - Harmful to aquatic life with long lasting effects
 H318 - Causes serious eye damage

Precautionary statements (CLP) :

P260 - Do not breathe vapours, gas, mist, fume, spray, dust
 P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor/physician
 P405 - Store locked up
 P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-aminomethyl-3,5,5-trimethylcyclohexylamine	(CAS No) 2855-13-2 (EC no) 220-666-8 (EC index no) 612-067-00-9	25 - 50	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
benzylic alcohol	(CAS No) 100-51-6 (EC no) 202-859-9 (EC index no) 603-057-00-5	25 - 50	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332
m-fenyleenbis(methylamine)	(CAS No) 1477-55-0 (EC no) 216-032-5	10 - 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Phenol, styrenated	(CAS No) 61788-44-1 (EC no) 262-975-0	2,5 - 10	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
salicylic acid	(CAS No) 69-72-7 (EC no) 200-712-3	2,5 - 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash with plenty of soap and water.
- First-aid measures after eye contact : Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
- First-aid measures after ingestion : Drink plenty of water. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide. Water. Powder. Alcohol resistant foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Firefighting instructions : Prevent fire-fighting water from entering environment.
- Protection during firefighting : Wear respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Reference to other sections. SECTION 8.

6.1.2. For emergency responders

No additional information available

MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Provide local exhaust or general room ventilation.
Hygiene measures : Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : The floor of the depot should be impermeable and designed to form a water-tight basin.
Storage conditions : Keep only in original container.
Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

m-fenyleenbis(methylamine) (1477-55-0)

USA - ACGIH	ACGIH Ceiling (mg/m ³)	0,1 mg/m ³
-------------	------------------------------------	-----------------------

8.2. Exposure controls

Personal protective equipment : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Insufficient ventilation: wear respiratory protection. Combined gas/dust mask with filter type A/P2. Gloves.

Hand protection :

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR), Viton® II, Polyvinylchloride (PVC)		0.5		

Skin and body protection :

Type	Standard
Safety shoes, Safety glasses, Gloves	

Respiratory protection : In case of inadequate ventilation wear respiratory protection



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : No data available
Odour : No data available
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids. Stable under normal conditions.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	940,826 mg/kg bodyweight
m-fenyleenbis(methylamine) (1477-55-0)	
LD50 oral rat	930 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	2,4 mg/l/4h
3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
LD50 oral rat	1030 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 5,01 mg/l/4h
benzylic alcohol (100-51-6)	
LD50 oral rat	1620 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
salicylic acid (69-72-7)	
LD50 oral rat	891 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

m-fenyleenbis(methylamine) (1477-55-0)	
LC50 fish 1	155,88 mg/l
EC50 Daphnia 1	16 mg/l
LC50 fish 2	105 mg/l
Threshold limit algae 1	12 mg/l
3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
LC50 fish 1	110 mg/l
EC50 Daphnia 1	43 mg/l
LC50 fish 2	110 mg/l
EC50 Daphnia 2	23 mg/l
Threshold limit algae 1	1,5 mg/l
Threshold limit algae 2	10,14 mg/l
benzylic alcohol (100-51-6)	
LC50 fish 1	460 mg/l
EC50 Daphnia 1	400 mg/l
LC50 fish 2	10 mg/l
EC50 Daphnia 2	230 mg/l
Threshold limit other aquatic organisms 1	< 658 mg/l
Threshold limit algae 1	640 ppm
Threshold limit algae 2	2600 mg/l
Phenol, styrenated (61788-44-1)	
EC50 Daphnia 1	> 0,249 mg/l
Threshold limit algae 1	0,326 mg/l
Threshold limit algae 2	0,140 mg/l
salicylic acid (69-72-7)	
LC50 fish 1	90 mg/l
EC50 Daphnia 2	230 mg/l
Threshold limit algae 1	> 100 mg/l

12.2. Persistence and degradability

benzylic alcohol (100-51-6)	
Biochemical oxygen demand (BOD)	1,6 g O ₂ /g substance
Chemical oxygen demand (COD)	2,4 g O ₂ /g substance
ThOD	2,5 g O ₂ /g substance
salicylic acid (69-72-7)	
Biochemical oxygen demand (BOD)	0,95 g O ₂ /g substance
Chemical oxygen demand (COD)	1,58 g O ₂ /g substance
ThOD	1,623 g O ₂ /g substance
BOD (% of ThOD)	0,41 - 0,60 % ThOD

12.3. Bioaccumulative potential

m-fenyleenbis(methylamine) (1477-55-0)	
BCF fish 1	< 2,7
Log Pow	0,15
3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
Log Pow	0,99
benzylic alcohol (100-51-6)	
Log Pow	1,05

MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Phenol, styrenated (61788-44-1)	
Log Pow	6,24 - 7,77
salicylic acid (69-72-7)	
BCF other aquatic organisms 1	> 1000
Log Pow	2,25

12.4. Mobility in soil

benzylic alcohol (100-51-6)	
Surface tension	0,04 N/m

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code : 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 02 00 - wastes from MFSU of other coatings (including ceramic materials)

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2735
UN-No. (IMDG) : 2735
UN-No. (IATA) : 2735
UN-No. (ADN) : 2735
UN-No. (RID) : 2735

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA) : Amines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID) : AMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, III, (E)
Transport document description (IMDG) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (), 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

IATA

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C7

Special provisions (ADR) : 274

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP28

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12


Hazard identification number (Kemler No.) : 80

MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Orange plates



Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

- Transport by sea

Special provisions (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A
Stowage and segregation (IMDG) : 'Separated from' acids.
Properties and observations (IMDG) : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C7
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0
Carriage prohibited (ADN) : No
Not subject to ADN : No

- Rail transport

Classification code (RID) : C7
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions (RID) : TP1, TP28
Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3

MSE 100 Primecoat-trans B-comp

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, category 1
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product