

HAPPYCOW BRUSHES





Top Quality Animal Comfort

Improved Animal Health

Animals have a need to rub and scratch themselves. Cattle brushes are an important part of general hygiene and no modern cowshed should ever be without them. With them, the animals can clean themselves and rid themselves of lice, mites, and other parasites. This helps to reduce or even prevent the development of eczema or fungal infection. When animals are healthy, you have a calm and relaxed herd.

Improved Yield

Healthy and cattle and goats who are properly cared for can achieve improved yields as their feeling of well-being is an important factor. The large-area brushing and massaging increases blood circulation in the skin, promotes heat dissipation, and stimulates the metabolism. The stimulated blood circulation can increase milk yields and increase the frequency of "in-heat" periods.

Variety and Occupation

Use of a scratch brush makes the animals calmer, boosts their well-being, and helps to keep them occupied. Undesirable animal behaviors, such as mutual suckling with calves, are also reduced.

Easy Assembly

Our electrically-operated cow cleaning machines are easy to install and virtually maintenance-free. Greasing at the pressure lubrication points and prompt replacement of brush rollers extend the machine's service life and improve the appeal to animals. The devices are suitable for outside installation, e.g., under a projecting roof.

Robust and Effective

Not every cow brush achieves the same result. It's important to ensure that the brush can be operated by the animal easily, reaches as many parts of the body as possible, has a good cleaning effect, does not injure the animal, requires little maintenance, and works without problems. The importance of a robust and long-lasting design is demonstrated by the fact that, in a herd of 30 animals, each cow brushes herself for ten minutes per day on average, which means that a cow cleaning machine will run for several hours every day.

Smart and Safe

Additional important aspects in the selection of a suitable cow brush include safe, injury-free use and convenient operation. Which is exactly where the intel-ligent electronics of the HAPPYCOW brushes come in, with persuasive error-free and low-maintenance operation. With their clear operating status display, the controls provide variable adjustment of the brush running time (10 to 300 s). Changing the direction of the brush after every activation ensures even wear of the brushes. The torque-operated safety shutdown stops the brush when it encounters too much resistance, thus ensuring safety in the cowshed.



Safety first – with HAPPYCOW

Our electrically-operated cow cleaning machines HAPPYCOW Duo, HAPPYCOW MaxiSwing (and soon HAPPYCOW Uno) bear the ETL Listed Mark. HAPPYCOW MidiSwing is also fully prepared to receive ETL certification.

The Intertek ETL Listed Mark is proof of product compliance with North American safety standards. Authorities Having Jurisdiction (AHJs) and code officials across the US and Canada accept the ETL Listed Mark as proof of product compliance to published industry standards.

The ETL certification program requires manufacturers to participate in official follow-ups and assessments of their facilities in order to verify that the manufacturing process is suitable to achieve product compliance.

Intertek, one of the world's largest Testing, Inspection and Certification bodies, is an OSHA (Occupational Safety and Health Administration) recognized NRTL (Nationally Recognized Testing Laboratory) and is accredited as a Testing Organization and Certification Body by the Standards Council of Canada.

Intertek's product safety certification program includes the same testing, listing, labeling, and follow-up inspection services as competing certification marks, such as UL, CSA, and others.



Installation Location

It's important to choose the installation location of the brushes carefully so that your animals can enjoy the optimal brushing experience. Choose a location with plenty of free space, so that other animals can easily pass animals who are scratching themselves and low-ranking animals also enjoy brushing time. Avoid dead-ends and dark corners and position the brushes as far as possible from feeding and drinking areas, in order to prevent cross-contamination.

Find the right brush type for your application:

Brushes for Animals	The benefits	Suitable for	Installation Location
HAPPYCOW Uno	Installation on half-height wall possible	Adult cattle	Wall, half-height wall
HAPPYCOW Duo	Simultaneous brushing of back and flank	Adult cattle	Wall
HAPPYCOW MaxiSwing	Accessible from all sides - large brush surface	Adult cattle	Wall, pillar
HAPPYCOW MidiSwing	Accessible from all sides	Suitable for cattle older than 1 year of age and adults	Wall, pillar
HAPPYCOW Free Maxi	Low cost and low maintenance	Large animals	Wall, pillar
HAPPYCOW FlexiSwing	Low cost and low maintenance	Adult cattle, young animals, calves from 2 months of age and horses	Wall, pillar
HAPPYCOW Bully/Scratch Plate	Very robust construction, designed for bull fattening	Beef fattening	Stabling, wall
Post Scrubber	Scratch Brush for Outdoor Use	Cattle, calves, goats, horses, etc.	For floor/ground installation on compacted surfaces or pasture land
Cattle Brush Texas/Cattle Brush 29325	Low cost and low maintenance	Cattle, calves, goats, horses, etc.	Wall, pillar
Scratch Brush	Good value and low maintenance - minimum space requirement - flexible in use	Cattle, calves, horses, etc.	Wall, pillar, posts, edges, etc.
Scratch Mats	Good value and low maintenance - minimum space requirement - flexible in use	Cattle, calves, goats, horses, etc.	Wall, pillar, posts, edges, etc.





Cattle Brush HAPPYCOW Duo

The extensive brushing, cleaning, and massage of the head, neck, back, torso, and flank helps to improve the supply of blood to the skin and stimulate the metabolism. The two-brush machine enables simultaneous cleaning of the flank and the back.

- The cow cleaning machine is automatically activated by the animals raising the brush slightly
- High-quality bristles ensure a lengthy service life
- Optimized brushes ensure that animals are happy to use them
- Permanent lubrication over the gears' entire lifetime
- Intelligent electronics for fault-free and low-maintenance operation
- Control with clearly visible display to indicate the operating status
- Variable setting options for brush running time (10- 300 s)
- The changing direction of the brush after each activation ensures even wear of the brushes
- The torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- All steel parts are hot-dip galvanized

Technical data	18820-USA
Voltage	220 - 240 V
Mains frequency	60 Hz
Power	370 W
Speed	78 rpm
Weight	330.7 lb / 150 kg
Degree of protection	IP55
Length of horizontal brush	21.6 in / 550 mm
Ø Horizontal Brush	11.2 - 16.5 in / 285 - 420 mm
Length of vertical brush	25.6 in / 650 mm
Ø Vertical Brush	10.8 - 12.4 in / 275 - 315 mm
Bristle material	Polyamide

Made in Germany




A quality product developed and produced by Kerbl

HAPPYCOW Duo bears the Intertek ETL Listed mark (listing report: 2239638KAU)

ETL listed





MaxiSwing



Suitable for fully-grown cattle

Cattle Brush HAPPYCOW MaxiSwing

The special vertical arrangement of the brush makes cleaning of the coat around the torso and head easier. The brush is accessible from all sides and rotates in every direction and at nearly every angle, ensuring that every part of the animal's body is reached. No risk of jumping up as with horizontal brushes!

- The HAPPYCOW Swing series is automatically activated by the animals deflecting the brush slightly
- High-quality bristles ensure a lengthy service life
- Optimized brushes ensure that animals are happy to use them
- Continuous lubrication of the gear over the machine's entire lifetime
- Intelligent electronics for fault-free and low-maintenance operation
- Control with clearly visible display to indicate the operating status
- Variable setting options for brush running time (10 - 300 s)
- The changing direction of the brush after each activation ensures even wear of the brushes
- The torque safety shutdown stops the brush when it encounters too much resistance, ensuring safety in the barn
- All steel parts are hot-dip galvanized

Made in Germany



A quality product developed and produced by Kerbl

HAPPYCOW MaxiSwing bears the Intertek ETL Listed mark (listing report: 2239638KAU)

ETL listed



The new HAPPYCOW Swing series - developed and produced in-house by Kerbl

- The fully redesigned, patent-pending pendulum brush has a robust and maintenance-friendly construction, as well as newly designed control electronics.
- The special arrangement of brush, drive, and joint unit serves to create optimized contact pressure between the brush and the animal, thereby guaranteeing an efficient and comfortable brushing process.

Technical data	18860
Voltage	220 - 240 V
Mains frequency	60 Hz
Power	550 W
Speed	40 rpm
Weight	231.5 lb / 105 kg
Degree of protection	IP54
Brush length	39.8 in / 1,010 mm
Ø brush	13.8 - 19.3 in / 350 - 490 mm
Bristle material	Polypropylene



Post Scrubber HAPPYCOW

- Scratch Brush for Outdoor Use
 - Available in 2 sizes (Maxi and Mini)
 - For floor/ground installation on compacted surfaces or pasture land
 - Robust, hot-dip galvanized metal structure
 - High-quality, resistant bristles
 - 19 Brush Rings (Maxi) or Brush Rolls (Mini), both replaceable
- 18650: Base anchor set for pasture installation available as an option

Made in Germany



Technical data

Brush length	39.4 in / 1,000 mm
Ø brush	19.7 in / 500 mm
Bristle material	Polypropylene

Cattle Brush HAPPYCOW Free Maxi

The HAPPYCOW Free Maxi allows the animals to determine the intensity of cleaning and massage themselves.

- Vertical oscillating brush with no power connection
- Also ideal as play material
- Suitable for use inside and outside
- High-quality bristles ensure a lengthy service life
- Very robust
- Low cost and low maintenance
- Hot-dip galvanized articulated suspension with plain bearing bushes

A quality product developed and produced by Kerbl

Technical data	18865
Weight	108 lb / 49 kg
Brush length	39.8 in / 1,010 mm
Ø brush	13.8 - 19.7 in / 350 - 500 mm
Bristle material	Polypropylene



Made in Germany



KERBL




Scratch Brush HAPPYCOW FlexiSwing

HAPPYCOW FlexiSwing is the easy and price-conscious solution to increase the well-being of cattle and horses. The cow brush can be easily installed outside or inside and offers animals both the opportunity to scratch and to keep themselves busy.

- Vertical oscillating brush with no power connection
- Allows the animals to determine the intensity of cleaning and massage themselves
- Ideal counterpressure for different species and size of animal thanks to robust spring suspension
- Suitable for use inside and outside
- High-quality bristles and hot-dip galvanized steel parts guarantee a lengthy service life
- Low-cost, low-maintenance alternative to electric scratching brushes
- Easy assembly
- Supplied in packs of three


Delivery content: 1 x brush unit, 1 x spring, 1 x mounting arm, 1 x instruction manual

Technical data	
Weight	92.6 lb / 42 kg
Brush length	29.5 in / 750 mm
Ø brush	11.8 - 17.1 in / 300 - 435 mm
Bristle material	Polypropylene



New product

NEW



Scratch Brush

- Ideal fur cleaning and care
- Great for cleaning the head and throat
- Suitable for cattle and calves, horses, etc.
- Various mounting options (walls, corners, stables, posts)

Made in Germany



Scratch Brush XL

- Allows breed-specific scrubbing of head and body sides
- Ideal fur cleaning and care
- Suitable for cattle and calves, horses, etc.
- Various mounting options (walls, corners, stables, posts)

Made in Germany




Scratch Brush HAPPYCOW Bully

- Allows breed-specific scrubbing of head and body sides
- Very robust construction made of hot-dip galvanized steel, designed for bull fattening
- Flexible mounting on stalls or walls
- Height-adjustable and flexible mounting thanks to integrated slotted holes
- High-quality, resistant bristles
- Replaceable brush bars
- Brush back made from 100% recycled material
- Suitable for Cattle Feed Animal Well-Being initiative
- Mounting set for stalls optionally available



Made in Germany



Scratch Plate

- For coat care
- Simple and inexpensive
- Very robust construction made of hot-dip galvanized steel, designed for bull fattening
- Durable and easy care
- Scratching surface 35.4 x 11.8 in
- Flexible mounting on stalls or walls
- Height-adjustable and flexible mounting thanks to integrated slotted holes
- Mounting set for stalls optionally available
- Suitable for Cattle Feed Animal Well-Being initiative



New product

NEW




Cattle Brush Texas

- Stable design with in-built spring
- Horizontal brush can be moved in all directions




Cattle Brush

- Complete with spring
- The particularly robust design of this brush ensures a high level of user comfort
- Allows animals of different sizes to scrub themselves thoroughly
- The enormous flexibility can even withstand extraordinary loads (e.g., animals jumping)
- Special nylon bristles for fur cleaning and care
- Brush back made from 100% recycled material
- Stable spring suspension



Scratch Mat

- Made from natural rubber material
- Mobile and soft nubs provide optimal coat care without risk of skin irritation
- Rectangular shape with multiple mounting holes for stable mounting
- Multi-function applications such as flat on the wall or around pillars, posts, or corners
- Not suitable for adult cattle



Scratch and Cleaning Mat KratzPad


The flexible mat for natural coat care - with no need for tools

Made in the EU



Simple, flexible and safe: the scratch and cleaning mat for horses and other animals with skin-protecting structure. With its flexi-ble design, it can be easily installed on flat surfaces, around corners, on trees, or on posts.

- The special structure of the mat prevents wounds and scratches to the animal, even with constant rubbing.
- Easy to install in stables, on fences, on tree trunks, on posts, on walls, etc.
- Protects your infrastructure: the mat helps to prevent nibbled box doors, damaged fence posts, and nibbled tree bark.
- Made from durable polyethylene
- Not suitable for adult cattle



Easy mounting with screws or nails




Can also be used as a cleaning mat:

- Its resistance to chemicals means that the mat can also be used in boot disinfection baths for combined cleaning and disinfection



Made in Germany – Produced in Buchbach

High quality products from Kerbl



To ensure animal comfort, Kerbl relies on Made in Germany quality. All cow cleaning machines are developed and produced by Kerbl.



Farmers Depot Head Office

455 Dobbie Drive.
Cambridge, Ontario
Canada, N1T 1T1
1-866-527-6229
E-mail info@farmersdepot.ca
www.farmersdepot.ca

© 02/2026

We strive continuously to improve our range of products and to keep them up to date. We reserve the right to make design changes. The publication of this catalog renders all previous catalogs and prices lists for these products invalid.
All prices provided are the manufacturer's recommended retail prices and are inclusive of sales tax. All information is subject to typesetting and printing errors.
Price alterations and errors reserved.
Colors and designs may vary as a result of printing processes. Reprinting – even in part – is only permitted only with prior consent.