



Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
Issue date: 12-12-2024 Revision date: 12-13-2024 Supersedes: 12-12-2024 Version: 1.1

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : Decimax® Wax Block Bait
Product code : 116660-CAN

1.2. Other means of identification

Part Number(s) : 116665-CAN|116660-CAN

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Rodenticides

1.4. Supplier's details

Supplier

Neogen Corporation
620 Leshler Place
Lansing, Michigan 48912
United States of America
T 800.234.5333

sds@neogen.com - <https://www.neogen.com/>

Distributor

Neogen Canada
21 College Ave. West
Guelph, Ontario N1G 1R7
Canada

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified

2.2. GHS label elements, including precautionary statements

GHS CA labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
2-octyl-2H-isothiazol-3-one	2-Octyl-3(2H)-isothiazolone [OIT] / 2-n-octyl-2,3-dihydroisothiazol-3-one / 2-normal-octyl-2,3-dihydroisothiazol-3-one / 2-octyl-2H-isothiazol-3-one / 2-octyl-3(2H)-isothiazolone / 2-octyl-4-isothiazolin-3-one / 3(2H)-isothiazolone, 2-octyl- / octhilinone	CAS-No.: 26530-20-1	< 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Inhalation:gas), H331 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (M=10)

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Diethanolamine	Diethanolamine 2,2'-aminodiethanol / 2,2'-dihydroxydiethylamine / 2,2'-iminobis(ethanol) / 2,2'-iminodiethanol / amine, diethyl, 2,2-dihydroxy- / aminodiethanol / beta,beta'-dihydroxydiethylamine / bis(2-hydroxyethyl)amine / bis(beta-hydroxyethyl)amine / bis(hydroxyethyl)amine / DELA (=diethanolamine) / di(2-hydroxyethyl)amine / di-2-hydroxyethylamine / diethanolamine / diethylamine / dihydroxyethylamine / diolamine / ethanol, 2,2'-iminobis- / ethanol, 2,2'-iminodi- / iminodiethanol / N,N-bis(2-hydroxyethyl)amine / N,N-diethanolamine	CAS-No.: 111-42-2	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Carc. 2, H351 Repr. 2, H361 STOT SE 1, H370 STOT SE 2, H371 STOT RE 1, H372 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures general	: If you feel unwell, seek medical advice.

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
Environmental precautions	: Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment	: Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
-------------------------------	------------------------------------------------------------------------------------

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Packaging materials : Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Diethanolamine (111-42-2)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	2 mg/m ³
Notations and remarks	Substance may be readily absorbed through intact skin.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Diethanolamine (2,2'-Iminodiethanol)
VEMP (OEL TWAEV)	1 mg/m ³ IFV
Notations and remarks	C3, Pc
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	2 mg/m ³
Notations and remarks	Skin; IARC group 2B carcinogen
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	1 mg/m ³ (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Liver & kidney dam. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	1 mg/m ³ (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Liver & kidney dam. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Diethanolamine

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Diethanolamine (111-42-2)	
OEL TWA	1 mg/m ³ (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Liver & kidney dam. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	2 mg/m ³
OEL STEL	4 mg/m ³
Notations and remarks	Skin
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	2 mg/m ³
OEL STEL	4 mg/m ³
Notations and remarks	Skin
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWAEV	1 mg/m ³ (IFV - Inhalable fraction and vapour)
Notations and remarks	Skin
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	1 mg/m ³ (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Liver & kidney dam. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Diethanolamine
OEL TWA	2 mg/m ³
OEL STEL	4 mg/m ³
Notations and remarks	Skin
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: No data available
Color	: Red
Odor	: Mild odor
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Explosion limits	: Not applicable
Particle characteristics	: No data available

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

2-octyl-2H-isothiazol-3-one

Particle characteristics	No data available
--------------------------	-------------------

Diethanolamine

Particle characteristics	No data available
--------------------------	-------------------

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

2-octyl-2H-isothiazol-3-one (26530-20-1)

LD50 oral rat	125 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Experimental value, Oral)
LD50 oral	355 mg/kg
LD50 dermal rat	311 mg/kg body weight (OECD 402: Acute Dermal Toxicity, Rat, Experimental value, Dermal)
LD50 dermal rabbit	311 mg/kg
LD50 dermal	311 mg/kg
LC50 Inhalation - Rat	0.27 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Experimental value, Inhalation (aerosol))
LC50 Inhalation - Rat (Dust/Mist)	0.586 mg/l/4h
ATE CA (oral)	125 mg/kg body weight
ATE CA (Dermal)	311 mg/kg body weight
ATE CA (Gases)	100 ppmV/4h
ATE CA (vapors)	0.27 mg/l/4h
ATE CA (dust,mist)	0.27 mg/l/4h

Diethanolamine (111-42-2)

LD50 oral rat	1600 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	2300 mg/kg

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Diethanolamine (111-42-2)	
LD50 dermal	13000 mg/kg
ATE CA (oral)	1600 mg/kg body weight
ATE CA (Dermal)	13000 mg/kg body weight
Skin corrosion/irritation	: Not classified
2-octyl-2H-isothiazol-3-one (26530-20-1)	
pH	No data available in the literature
Diethanolamine (111-42-2)	
pH	11 (53 g/l)
Serious eye damage/irritation	: Not classified
2-octyl-2H-isothiazol-3-one (26530-20-1)	
pH	No data available in the literature
Diethanolamine (111-42-2)	
pH	11 (53 g/l)
Respiratory or skin sensitization	: Skin sensitization: Not classified.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified.
Diethanolamine (111-42-2)	
NOAEL (chronic,oral,animal/male,2 years)	64 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies)
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Reproductive toxicity: Not classified.
STOT-single exposure	: Not classified.
2-octyl-2H-isothiazol-3-one (26530-20-1)	
STOT-single exposure	Causes damage to organs.
Diethanolamine (111-42-2)	
STOT-single exposure	Causes damage to organs. May cause damage to organs.
STOT-repeated exposure	: Not classified
2-octyl-2H-isothiazol-3-one (26530-20-1)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Diethanolamine (111-42-2)	
LOAEL (dermal,rat/rabbit,90 days)	32 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	0.003 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Decimax® Wax Block Bait	
Viscosity, kinematic	Not applicable

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

2-octyl-2H-isothiazol-3-one (26530-20-1)	
Viscosity, kinematic	No data available in the literature
Diethanolamine (111-42-2)	
Viscosity, kinematic	357.967 mm ² /s
Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

2-octyl-2H-isothiazol-3-one (26530-20-1)	
LC50 - Fish [1]	0.122 mg/l (ECOSAR, 96 h, Pisces, QSAR, Nominal concentration)
EC50 - Crustacea [1]	0.32 mg/l
ErC50 algae	0.15 mg/l (ECOSAR, 96 h, Algae, QSAR, Nominal concentration)
EC50 72h - Algae [1]	0.026 mg/l
EC50 96h - Algae [1]	0.15 mg/l Test organisms (species):
NOEC chronic fish	0.012 mg/l
NOEC chronic crustacea	0.003 mg/l
Diethanolamine (111-42-2)	
LC50 - Fish [1]	460 mg/l (96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	30.1 – 89.9 mg/l (ASTM E729-80, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 - Crustacea [2]	89.9 mg/l Test organisms (species): Ceriodaphnia dubia
ErC50 algae	9.5 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 72h - Algae [1]	9.5 mg/l Source: ECHA
NOEC (chronic)	0.78 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic crustacea	0.78 mg/l
LOEC (chronic)	1.56 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

12.2. Persistence and degradability

Decimax® Wax Block Bait

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

2-octyl-2H-isothiazol-3-one (26530-20-1)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

Diethanolamine (111-42-2)

Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.
-------------------------------	------------------------------------------------------------

Biochemical oxygen demand (BOD)	0.22 g O ₂ /g substance
---------------------------------	------------------------------------

Chemical oxygen demand (COD)	1.52 g O ₂ /g substance
------------------------------	------------------------------------

ThOD	2.13 g O ₂ /g substance
------	------------------------------------

12.3. Bioaccumulative potential

2-octyl-2H-isothiazol-3-one (26530-20-1)

Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
---------------------------	---------------------------------------------------

BCF - Fish [1]	1280 (67 day(s), Lepomis macrochirus, Flow-through system, Literature study)
----------------	------------------------------------------------------------------------------

Partition coefficient n-octanol/water (Log Pow)	2.45 (Experimental value)
-------------------------------------------------	---------------------------

Diethanolamine (111-42-2)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

BCF - Fish [1]	3.162 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
----------------	----------------------------------------------------------

Partition coefficient n-octanol/water (Log Pow)	-2.18 – -1.43 (Experimental value)
-------------------------------------------------	------------------------------------

12.4. Mobility in soil

2-octyl-2H-isothiazol-3-one (26530-20-1)

Surface tension	No data available in the literature
-----------------	-------------------------------------

Ecology - soil	Low potential for adsorption in soil.
----------------	---------------------------------------

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.255 – 2.926 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
------------------------------------------------------------	--------------------------------------------------------------

Diethanolamine (111-42-2)

Mobility in soil	1 – 10 Source: ECHA
------------------	---------------------

Ecology - soil	Highly mobile in soil.
----------------	------------------------

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.98 – 1 (log Koc, Calculated value)
------------------------------------------------------------	--------------------------------------

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN Number			
Not regulated for transport			
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group, if applicable			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

2-octyl-2H-isothiazol-3-one (26530-20-1)

Listed on the Canadian DSL (Domestic Substances List)

Canada DSL NDSL Flags

Significant New Activity (SNAc) provisions of the Act apply

Decimax® Wax Block Bait

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Diethanolamine (111-42-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Canada DSL NDSL Flags	Significant New Activity (SNAc) provisions of the Act apply

2-octyl-2H-isothiazol-3-one (26530-20-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	

Diethanolamine (111-42-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	

SECTION 16 Other Information

Issue date : 12-12-2024
Revision date : 12-13-2024
Supersedes : 12-12-2024

Full text of hazard classes and H-statements:	
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H331	Toxic if inhaled
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child
H370	Causes damage to organs.
H371	May cause damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.