

SDS Preparation Date (mm/dd/yyyy): 05/15/2024

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the la	abel
:	Oxysan
Other means of identification :	OX200-00
Recommended use of the chem	nical and restrictions on use
	Water treatment chemical Product Use: For professional use only. Recommended restrictions: None known.
Chemical family :	Mixture.
Name, address, and telepho	ne number of the manufacturer:
Farmers Depot	
455 Dobbie Drive	
Cambridge, ON	
N1T 1T1	
Supplier's Telephone # :	(519) 621-2028
24 Hr. Emergency Tel # :	In case of transportation emergencies: (613) 996-6666 (CANUTEC)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear liquid. Chlorine or bleach odor.

Most important hazards: Causes serious eye irritation. May cause drowsiness or dizziness. May damage fertility or the unborn child. Occupational exposure to the substance or mixture may cause adverse effects.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification:

Oxidizing Liquid - Category 1 Acute Toxicity, dermal - Category 2 Acute toxicity, oral - Category 3 Skin Corrosion/Irritation - Category 1 Eye Damage/Irritation - Category 1 Reproductive Toxicity - Category 1B Specific target organ toxicity, single exposure - Category 3 (respiratory tract irritation, CNS) Specific target organ toxicity, repeated exposure - Category 2

Label elements

Hazard pictogram(s)



Danger



Page 2 of 11

SAFETY DATA SHEET

Hazard statement(s)

May cause fire or explosion; strong oxidizer. Toxic if swallowed. Causes severe skin burns and eye damage. May damage fertility or the unborn child. May cause drowsiness and dizziness. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking Keep away from clothing and other combustible materials. Do not get in eyes, on skin, or on clothing. Do not breathe fumes or vapors. Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection. Wear fire resistant or flame retardant clothing.

IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Immediately call a POISON CENTRE or doctor/physician. Take off immediately all contaminated clothing and wash it before reuse.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of major fire and large quantities: Evacuate area and fight fire remotely due to the risk of explosion.

In case of fire: Use water spray or fog to extinguish.

Store separately. Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Ingestion may cause severe irritation to the mouth, throat and stomach.Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin.Chronic skin contact with low concentrations may cause dermatitis.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	CAS #	Concentration (% by weight)
Sodium chlorite	Not available.	7758-19-2	5-10%
Sodium chlorate	Not available.	7775-09-9	0.5-1.5%
Borax	Disodium tetraborate, decahydrate	1303-96-4	0.02-0.1%

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures



Page 3 of 11

SAFETY DATA SHEET

Ingestion	: Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Seek immediate medical attention/advice. Never give
Inhalation	 anything by mouth if victim is unconscious. Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
Skin contact	: Take off all contaminated clothing immediately. Immediately flush skin with gently flowing, running water for at least 20 minutes. Do not rub area of contact. Cover wound with sterile dressing. Seek immediate medical attention/advice. Wash contaminated clothing before reuse. Leather and shoes that have been contaminated with the solution may need to be destroyed.
Eye contact	: Immediately flush eyes with running water for at least 20 minutes. Protect unharmed eye. Seek immediate medical attention/advice.
Most important symptor	ms and effects, both acute and delayed
Indication of any immed	: May cause serious eye irritation or damage. Symptoms may include redness, pain, tearing and conjunctivitis. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring. May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death. May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Prolonged or repeated inhalation of fumes or vapours, may cause chronic lung effects, such as bronchitis, and tooth enamel erosion.
	: Immediate medical attention is required. Causes burns. Treat symptomatically.
SECTION 5. FIRE-FIG	GHTING MEASURES
Extinguishing media Suitable extinguishing	i media
Guidale extinguishing	: Use flooding quantities of water to fight fires. Avoid using Carbon dioxide or other similar extinguishing agents as they are not effective in fires involving oxidizers.
Unsuitable extinguishi	ng media
	: Do not use a solid water stream as it may scatter and spread the fire.
Special hazards arising	from the substance or mixture / Conditions of flammability
Flammability classificat	: Not considered flammable. Burning produces obnoxious and toxic fumes. ion (OSHA 29 CFR 1910.106)
	: Non-flammable.
Hazardous combustion	• • • • • • • • • • • • • • • • • • • •
	: Hydrogen chloride gas Chlorine Hydrogen Carbon oxides Nitrogen oxides
Special protective equip Protective equipment	oment and precautions for firefighters
	: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Dike for water control. Do not allow run-off from fire fighting to enter drains or water courses.



SDS Preparation Date (mm/dd/yyyy): 05/15/2024

SAFETY DATA SHEET

Page 4 of 11

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

· /·	
Environmental processions	 All persons dealing with clean-up should wear the appropriate protective equipment including self- contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment. Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large
Environmental precautions	spills, dike the area to prevent spreading.
Methods and material for contai	inment and cleaning up
	: Remove all sources of ignition. Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Neutralize with sodium bicarbonate or a mixture of soda ash/slaked lime. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.
Special spill response procedur	es
	 If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the National Response Center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): See section 15. In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC).

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Conditions for safe storage	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Do not breathe fumes, mists or vapours. Avoid contact with skin, eyes and clothing. Do not get in eyes, on skin, or on clothing. Keep away from extreme heat and flame. Keep container tightly closed when not in use. Keep only in original container. Wash thoroughly after handling. Store in a cool, dry, well-ventilated area. Store locked up. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Store in corrosion-resistant containers. Keep only in original container. Strong bases; calcium hypochlorite; Dry sodium carbonate Combustible materials.
Incompatible materials	:

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH	ACGIH TLV OSHA PEL		<u>PEL</u>
	TWA	STEL	PEL	<u>STEL</u>
Sodium chlorite	N/Av	N/Av	N/Av	N/Av
Sodium chlorate	N/Av	N/Av	N/A∨	N/Av
Borax	2 mg/m ³ (inhalable fraction, listed under Borate compounds, inorganic)	6 mg/m³ (inhalable fraction, listed under Borate compounds, inorganic)	N/Av	N/Av



SDS Preparation Date (mm/dd/yyyy): 05/15/2024

SAFETY DATA SHEET

Page 5 of 11

Exposure controls

Ventilation and engineering m	neasures
	: Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.
Respiratory protection	: If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Confirmation of which type of respirator is most suitable for the intended application should be obtained from respiratory protection suppliers. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.
Skin protection	 Wear appropriate chemical resistant gloves. Advise should be sought from glove suppliers. Chemical splash goggles must be worn when handling this material. A full face shield may also
Eye / face protection	be necessary.
Other protective equipment	: Other equipment may be required depending on workplace standards. An eyewash station and safety shower should be made available in the immediate working area.
General hygiene consideration	ns
	: Do not breathe mist/vapors/spray. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing home.
SECTION 9. PHYSICAL	AND CHEMICAL PROPERTIES

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Colour Odour		:	Liquid. Clear Chlorine odour.
Odour threshold pH Melting Point/Freezing point	:	:	Not available. 10.5-12.5 Not available.

Initial boiling point and boiling range

• ·				
	: Not available			
Flash point	: Not applicable.			
Flashpoint (Method)	: Not applicable.			
Evaporation rate (BuAe = 1)	: Not available.			
Flammability	: Not applicable.			
Lower explosion or flammabi	ility limit (% by vol.)			
	: Not applicable.			
Upper explosion or fla	mmability limit (% by vol.)			
	: Not applicable.			
Oxidizing properties	: Contains a strong oxidizer.			
Explosive properties	: Not explosive			
Vapour pressure Relative	: Not available.			
vapour density	: Not applicable.			
Relative density / Specific gra	avity			
Relative defisity / Specific gra	•			
	: 1 @ 15.5 °C			
Solubility in water	: Soluble			
Other solubility(ies)	: Methanol Ethanol			
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution				
	: Not available.			
Auto-ignition temperature	: Not applicable.			

Decomposition temperature : Not available.



SDS Preparation Date (mm/dd/yyyy): 05/15/2024

SAFETY DATA SHEET

Page 6 of 11

Viscosity	:	Not available.			
Particle characteristics	:	Not applicable.			
Volatiles (% by weight)	:	Not available.			
Volatile organic Compounds (VOC's)					
	:	Not available.			
Absolute pressure of container					
	:	Not applicable.			
Flame projection length	:	Not applicable.			
Other physical/chemical comme	nts				

: None.

SECTION 10. STABILITY AND REACTIVITY		
Reactivity	: Not expected to be reactive.	
Chemical stability	: Stable under the recommended storage and handling conditions prescribed.	
Possibility of hazardous rea	ctions	
	Hazardous polymerization does not occur.	
Conditions to avoid	: Avoid heat and open flame. Ensure adequate ventilation, especially in confined areas.	
	Avoid contact with incompatible materials.	
Incompatible materials	: Strong bases; calcium hypochlorite; active metals; Combustible material	
Hazardous decomposition p	products	
	: None known, refer to hazardous combustion products in Section 5.	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation	:	YES
Routes of entry skin & eye	:	YES
Routes of entry Ingestion	:	YES

Routes of exposure skin absorption

: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

:	Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid
	accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Sign and symptoms ingestion

	:	Harmful if swallowed. May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.
Sign and symptoms skin	:	Fatal in contact with skin. May be absorbed through the skin. Causes severe skin burns. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring.
Sign and symptoms eyes	:	Causes serious eye irritation. Symptoms may include severe pain, tearing, redness, swelling and blurred vision.
Potential Chronic Health Effects	:	Chronic skin contact with low concentrations may cause dermatitis. Prolonged or repeated inhalation of fumes or vapours, may cause chronic lung effects, such as bronchitis, and tooth enamel erosion.



Page 7 of 11

SAFETY DATA SHEET

Mutagenicity Carcinogenicity Reproductive effects & Tera	 Not expected to be mutagenic in humans. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP. togenicity
	: Reproductive toxicity May damage fertility or the unborn child.
Sensitization to material	: Not expected to be a skin or respiratory sensitizer.
Specific target organ effects	 Specific target organ toxicity, single exposure -Category 3 May cause respiratory irritation. May cause drowsiness or dizziness. Specific target organ toxicity (STOT), repeated exposure - Category 2 May cause damage to organs through prolonged or repeated exposure. (spleen)
Medical conditions aggrava	ted by overexposure
	: Pre-existing skin, eye and respiratory disorders.
Synergistic materials	: Not available.
Toxicological data	:

	LC50(4hr)	L	D50
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)
Sodium chlorite	230 mg/m ³	165 mg/kg	107.2mg/kg
Sodium chlorate	>28 g/m3 1 h	1200 mg/kg	N/Av
Borax	> 2.03 mg/L (dust) (No mortality)	5560 mg/kg	> 2000 mg/kg (No mortality)

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity data:

Ingredients		Toxicity to Fish					
Ingredients	CAS #	LC50 / 96h	NOEC / 21 day	M Factor			
Sodium chlorite	7758-19-2	>100mg/L	N/Av	None.			
Sodium chlorate	7775-09-9	1750 mg/L	N/Av	None.			
Borax	1303-96-4	79.7 mg/L (Fathead minnow)	11.2 mg/L	None.			



Page 8 of 11

SAFETY DATA SHEET

Ingredients	CAS #	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Sodium chlorite	7758-19-2	0.026 mg/L	N/Av	10		
Sodium chlorate	7775-09-9	N/Av	N/Av	None.		
Borax	1303-96-4	91 mg/L Ceriodaphnia (water flea)	10.8 mg/L (Daphnia magna) (Read-across)	None.		

Ingredients	CAS #	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Sodium chlorite	7758-19-2	N/Av	N/Av	None.		
Sodium chlorate	7775-09-9	N/Av	N/Av	None.		
Borax	1303-96-4	52.4 mg/L/72hr (Green algae) (Read-across)	17.5 mg/L/72hr (Read-across)	None.		

Persistence and degradability

: Biodegradation is not applicable to inorganic materials.

Bioaccumulation potential : No data is available on the product itself.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Borax (CAS 1303-96-4)	N/Av	121 (filamentous algae)
Mobility in soil	: No data is available on the product itself.	
Other Adverse Environmer	ntal effects	
	: No additional information.	

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal	: Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous.
Methods of Disposal	: Dispose in accordance with all applicable federal, state, provincial and local regulations.
RCRA	: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.



Page 9 of 11

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
		OXIDIZING LIQUID, CORROSIVE, N.O.S. (Sodium Clorate, Sodium Chlorite)	5.1	II	5.1
49CFR/DOT Additional information	May be shippe exceeding 30 k	d as Limited Quantity when transported in containers no la g gross mass.	arger than 1.0 Li	tre, in packa	ages not
TDG	UN3098	OXIDIZING LIQUID, CORROSIVE, N.O.S. (Sodium Clorate, Sodium Chlorite)	5.1	II	5.1
TDG Additional information	May be shippe exceeding 30 k	d as Limited Quantity when transported in containers no la g gross mass.	arger than 1.0 Li	tre, in packa	ages not
ICAO/IATA	UN3098	Oxidizing liquid, corrosive, n.o.s. (Sodium Clorate, Sodium Chlorite)	5.1	II	5.1
ICAO/IATA Additional information	Refer to ICAO/I	ATA Packing Instruction Y540, 550, or 554.	-		· · · · · ·
IMDG	UN3098	OXIDIZING LIQUID, CORROSIVE, N.O.S. (Sodium Clorate, Sodium Chlorite)	5.1	II	5.1
IMDG Additional information		d as LIMITED QUANTITY when transported in quantities r g gross mass. Marine pollutant	no larger than 1 l	Litre, in pack	kages not

Special precautions for user : None known.

Environmental hazards : This product meets the criteria for an environmentally hazardous material according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

lu suo dia uta		CAS # TSCA Inventory CERCLA Reportable Quantity(RQ) (40 CFR 117.302):		SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical			
Ingredients	CAS #			Hazardous Substance, 40 CFR 355:	Toxic Chemical	de Minimis Concentration		
Sodium chlorite	7758-19-2	Yes	N/Ap	N/Av	No	N/Ap		
Sodium chlorate	7775-09-9	Yes	N/Ap	N/Av	No	N/Ap		
Borax	1303-96-4	Yes	N/Ap	N/Av	No	N/Ap		

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Oxidizing liquid;Acute toxicity; Skin corrosion; Eye Damage; Reproductive toxicity; Specific target organ toxicity, single exposure ;Specific target organ toxicity, repeated exposure



Page 10 of 11

SAFETY DATA SHEET

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
<u></u>		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Sodium chlorite	7758-19-2	No	N/Ap	No	Yes	No	Yes	Yes	Yes
Sodium chlorate	7775-09-9	No	N/Ap	No	Yes	No	Yes	Yes	Yes
Borax	1303-96-4	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

All ingredients are present on the DSL.

International Information:

Legend

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Sodium chlorite	7758-19-2	231-836-6	Present	Present	(1)-238	KE-31388	Present	HSR001349
Sodium chlorate	7775-09-9	231-887-4	Present	Present	(1)-239	KE-31386	Present	HSR001348
Borax	1303-96-4	215-540-4 (hydrated)	Present	Present	(1)-69	KE-03483	Present	HSR002914

SECTION 16. OTHER INFORMATION

: ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency IARC: International Agency for Research on Cancer MSHA: Mine Safety and Health Administration N/Ap: Not Applicable N/Av: Not Available NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TWA: Time Weighted Average



Page 11 of 11

SAFETY DATA SHEET

References

: 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices

- 2. ECHA European Chemical Agency
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
- 4. Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists
- 6. California Proposition 65 List
- 7. OECD The Global Portal to Information on Chemical Substances eChemPortal

Preparation Date (mm/dd/yyyy)

: 05/15/2024

Other special considerations for handling

: Provide adequate information, instruction and training for operators.



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Farmers Depot and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Farmers Depot expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Farmers Depot.

END OF DOCUMENT